Tuesday, April 5, 2022

FIS



Fertilizer Derivatives End of Day Report

NOLA UREA

NOLA Urea markets found sharp selling interest again today, with values still drifting on low end-user demand. Planting has yet to begin on a large scale in the US, and without any word about India's next tender, buyers are content to let sellers aggress. April futures traded twice today at \$830, June traded at \$750 and the Q4 strip traded at \$750. April barges traded at \$835 and \$830.

INTL UREA FUTURES

Values in the international futures market are falling on a quiet start to the spring season. Not many sales are getting made on physical and that's causing sellers to get nervous here. We've seen Q3 EGYPT futures trade down to \$800 down \$210 from their contract highs last month. In the Brazil market, we continue to see sell pressure on the APR-MAY timeframe with offers on MAY below \$900. In the phys market, we're hearing offers into Brazil are around \$950 cfr, so quite a ways off from where phys was last week.

NOLA UREA						
	BID	ASK	MID	Δ		
APR	820	830	825	-20		
MAY	815	815	815	- 18		
JUN	750	760	755	-45		
Q2	792	802	797	-28		
Q3	740	760	750	-20		

	N	OLA U	AN	
	BID	ASK	MID	Δ
APR	610	625	618	— 0
MAY	605	620	613	— 0
JUN	600	615	608	— 0
Q3	575	600	588	— 0

NOLA DAP				
	BID	ASK	MID	Δ
APR	990	1030	1010	— 0
MAY	980	1000	990	— 0
JUN	960	990	975	— 0

For more information on Fertilizer Financial Instruments please contact the team at ferts@freightinvestor.com

 Taylor Eastman (US):
 +1 913 246 3580
 Sam Seid (US):
 +1 913 276 4154
 FIS London (UK):
 +44 (0) 7889 720 076

INTERNATIONAL					
AG UREA					
	BID	ASK	MID	Δ	
APR	840	860	850	-38	
MAY	830	850	840	-28	
JUN	780	820	800	-30	
Q3	750	800	775	-50	
Q3	750	800	775	-50	
Q3				-50	
Q3		800 YPT U		-50	
Q3				 -50 Δ 	
Q3 APR	EG	YPT U	REA		
	EG BID	YPT U ASK	REA MID	Δ	

	BR	AZIL U	REA	
	BID	ASK	MID	Δ
APR	875	900	888	-8
MAY	865	880	873	-20
JUN	830	855	843	-18

825

800

-20

775

Q3

BID ASK MID Δ APR 1215 1250 1233 =	١
APR 1215 1250 1233 -	
	0
MAY 1175 1250 1213 —	0
JUN 1100 1200 1150 —	0