## Thursday, August 4, 2022



# Fertilizer Derivatives End of Day Report

### **FUTURES MARKET COMMENTARY**

**NOLA:** The market on NOLA UREA backed off a touch today, after we saw a decent rally yesterday. The market on NOLA UREA dropped but on thin liquidity, only trading once at \$620 for Q4 swaps. The physical market was also quiet. It's just a quiet time in the market, and the futures market drifts when it gets quiet on physical.

**INTL**: Interest in the AG market picked up today with a few trades across September and October. In the morning session we found bids near \$670 for SEPT and OCT, with interest in the physical market slow we saw sell pressure build up a bit throughout the day and subsquently the OCT contract traded down to \$650. That being said, this is below where the last physical sale was reported (\$660).

#### **NOLA**

NOLA UREA						
	BID ASK MID $\Delta$					
AUG	605	620	613	<b>-</b> 9		
SEP	610	620	615	<b>-15</b>		
OCT	610	620	615	<b>-13</b>		
Q4	610	620	615	-25		
Q1	605	635	620	<b>-15</b>		

NOLA UAN					
	BID	ASK	MID	Δ	
AUG	420	455	438	<b>—</b> 0	
SEP	440	450	445	<b>—</b> 0	
Q4	445	455	450	<b>—</b> 0	

NOLA DAP					
	BID	ASK	MID	Δ	
AUG	750	760	755	<b>—</b> 0	
SEP	750	760	755	<b>3</b>	
Q4	740	760	750	<b>—</b> 0	

For more information on Fertilizer Financial Instruments please contact the team at ferts@freightinvestor.com

**Taylor Eastman (US):** +1 913 246 3580 **FIS USA (US):** +1 913 276 4154 **FIS London (UK):** +44 (0) 7889 720 076

### INTERNATIONAL

AG UREA					
	BID	ASK	MID	Δ	
AUG	650	660	655	-20	
SEP	645	655	650	-20	
OCT	645	655	650	-20	
Q4	650	660	655	<b>-13</b>	

EGYPT UREA						
BID ASK MID $\Delta$						
AUG	740	770	755	<b>-</b> 5		
SEP	740	770	755	-15		
Q4	740	770	755	-25		

BRAZIL UREA					
	BID	ASK	MID	Δ	
AUG	665	685	675	<b>-10</b>	
SEP	680	690	685	<b>▼</b> -6	
Q4	675	690	683	-8	

BID ASK MID $\Delta$ SEP 900 950 925 $=$ 0   OCT 850 950 900 $=$ 0	BRAZIL MAP					
OCT 850 950 900 — 0	BID ASK MID $\Delta$					
	SEP	900	950	925	<b>—</b> 0	
	OCT	850	950	900	<b>—</b> 0	
NOV 850 950 <b>900</b> — 0	NOV	850	950	900	<b>—</b> 0	